BYPASS IN-LINE SHOWERS

Frameless sliding doors Sizes: 48, 54, 60

Sizes: 48, 60, 61, 72

••• C

•• C



GEMINI IN-LINE Frameless sliding doors Sizes: 48, 54, 60	
MERCURY IN-LINE Frameless sliding doors Sizes: 48, 60, 72	6-7
*CORDOBA PLUS IN-LINE Semi-frameless sliding doors	



*CORDOBA IN-LINE	
Semi-frameless sliding doors	
Sizes: 46, 48, 56, 60	





See information pages at the end of the section

*Without FleurcoSEKUR+ Safety Protection (S.R.T.)

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS IN-LINE

Frameless sliding doors

3/8" (10 mm) Tempered clear glass • 79" Height

	Gla	Glass surface protectio				
::: М	icrotek® ⊋FLEURCO	ss surface protection INCLUDED at no charge.				

FLEURCO[™]SEKUR[™] SAFETY PROTECTION (S.R.T.)

BYPASS 48 45" to 48" W x 79"	H · Approx	k. entry: 20 ¼″ to 2	23 ¼"
MODEL	PRICE	FINISH	GLAS
NPS148-11-40	\$1,981	Chrome	CLEA

NPS148-25-40	\$2,	028	Brushed Nickel
NPS148-33-40	\$2,	035	Matte Black
BASE	PRICE		SIZE
ADQ3248-18	\$894	48''	x 32" x 2 ¾"
ADQ3448-18	\$912	48''	x 34" x 2 ¾"
ADQ3648-18	\$995	48''	x 36" x 2 ¾"
ABE3648-18-11-B	\$1,700	48	" x 36" x 3"
ABE3648-18-25-B	\$1,700	48	" x 36" x 3"
ADF3648-18-B	\$1,464	48	" x 36" x 2"
AU_3648-33	\$1,637	48''	x 36" x 2 ¾"
ABT4836-18-3	\$980	48''	x 36" x 2 ¾"
ADT4836-18-3	\$844	48	" x 36" x 3"
AZM4836-18-11-B	\$1,904	48"	x 36" x 1 ³ / ₈ "*
AZM4836-18-25-B	\$1,904	48"	x 36'' x 1 ³/ ₈ ''*
ADT4842-18-3	\$968	48	" x 42" x 3"

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 54

51" to 54" W x 79" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	PRICE	FINISH	GLASS
NPS154-11-40	\$2,044	Chrome	CLEAR
NPS154-25-40	\$2,084	Brushed Nickel	CLEAR
NPS154-33-40	\$2,090	Matte Black	CLEAR
BASE	PRICE	SIZE	
ADT5436-18-3	\$905 54	4" x 36" x 3"	

MODEL	PRICE	FINISH	GLASS
NPS160-11-40	\$2,109	Chrome	CLEAR
NPS160-25-40	\$2,137	Brushed Nickel	CLEAR
NPS160-33-40	\$2,147	Matte Black	CLEAR
BASE	PRICE	SIZE	
ADQ3060-18	\$993	60" x 30" x 2 ¾"	
ABE3260-18-11-B	\$1,739	60" x 32" x 3"	
ABE3260-18-25-B	\$1,739	60" x 32" x 3"	
ADQ3260-18	\$1,024	60" x 32" x 2 ¾"	
AU _ 3260-33	\$1,739	60" x 32" x 2 ¾"	
ABT6032-18-L3 or R3	\$1,037	60" x 32" x 2 ¾"	
ADT6032-18-L3 or R3	\$915	60" x 32" x 3"	
AZM6032-18-11-B	\$1,922	60" x 32" x 1 ³/8"*	
AZM6032-18-25-B	\$1,922	60" x 32" x 1 ³/8"*	
ADQ3460-18	\$1,003	60" x 34" x 2 ¾"	
ABE3660-18-11-B	\$1,770	60" x 36" x 3"	
ABE3660-18-25-B	\$1,770	60" x 36" x 3"	
ADF3660-18-B	\$1,521	60" x 36" x 2"	
ADQ3660-18	\$1,090	60" x 36" x 2 ¾"	
AU _ 3660-33	\$1,873	60" x 36" x 2 ¾"	
ABT6036-18-3	\$1,101	60" x 36" x 2 ¾"	
ADT6036-18-3	\$968	60" x 36" x 3"	
AZM6036-18-11-B	\$1,991	60" x 36" x 1 ³/8"*	
AZM6036-18-25-B	\$1,991	60'' x 36'' x 1 ³/ ₈ ''*	
ADQ4260-18	\$1,169	60" x 42" x 2 ¾"	
ADQ4860-18	\$1,251	60" x 48" x 2 ¾"	

57" to 60" W x 79" H · Approx. entry: 26 1/4" to 29 1/4"

*Unfinished height of threshold

BYPASS 60

GLASS CLEAR

CLEAR

CLEAR

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN ND-CALK ^{IN} SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11 DRAINPVC-25	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain	\$47 \$62 \$89 \$47 \$62	Chrome Brushed Nickel Matte Black Chrome Brushed Nickel	
	DRAINPVC-33	PVC No-Calk 2" drain	\$68	Matte Black	

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet





GΞΛ **IN-LINE BYPASS** Frameless sliding doors **PLUS**

2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Shower door height: 79" Chrome, Brushed Nickel & Matte Black finishes **▼**FLEURCO<u>SEKUR</u>⁺

SAFETY PROTECTION (S.R.T.)*



Glass surface protection





GEMINI IN-LINE

Frameless sliding doors

1/4" (6 mm) Tempered clear glass • 75" Height

_	
5	
5	
	_

BYPASS 48					
45" to 48" W x 75"	H · Approx	k. entry: 20 ¼″ to 2	231⁄4"		
MODEL	PRICE	FINISH	GLASS		

MODEL		PRI	CE		FINISH	I	GLASS
NGS148-11-40		\$1,6	19		Chrome)	CLEAR
NGS148-25-40		\$1,6	66	Brus	shed Ni	ckel	CLEAR
NGS148-33-40		\$1,6	78	Ma	atte Bla	ck	CLEAR
BASE	PF	RICE		SIZE			
ADQ3248-18	\$89	94	48''	x 32" :	x 2 ¾''		
ADQ3448-18	\$9 <i>1</i>	12	48''	x 34" :	x 2 ¾''		
ADQ3648-18	\$99	95	48''	x 36" :	x 2 ¾''		
ABE3648-18-11-B	\$1,	700	48	" x 36'	' x 3''		
ABE3648-18-25-B	\$1,	700	48	" x 36'	' x 3''		
ADF3648-18-B	\$1,	464	48	" x 36'	' x 2''		
AU_3648-33	\$1,	637	48''	x 36" :	x 2 ¾''		

ADF3648-18-B	\$1,464	48" x 36" x 2"
AU_3648-33	\$1,637	48" x 36" x 2 ¾"
ABT4836-18-3	\$980	48" x 36" x 2 ¾"
ADT4836-18-3	\$844	48" x 36" x 3"
AZM4836-18-11-B	\$1,904	48" x 36" x 1 ³/8"*
AZM4836-18-25-B	\$1,904	48" x 36" x 1 ³/ ₈ "*
ADT4842-18-3	\$968	48" x 42" x 3"

*Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 54

51" to 54" W x 75" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL	PRICE	FINISH	GLASS
NGS154-11-40	\$1,660	Chrome	CLEAR
NGS154-25-40	\$1,707	Brushed Nickel	CLEAR
NGS154-33-40	\$1,714	Matte Black	CLEAR
BASE	PRICE	SIZE	
ADT5436-18-3	\$905 54	4" x 36" x 3"	

Glass surface protection
INCLUDED at no charge.

Glass surface protection

✓ FLEURCO[®]SEKUR^{*} SAFETY PROTECTION (S.R.T.)

BYPASS 60 57" to 60" W x 75" H · Approx. entry: 26 ¹ / ₄ " to 29 ¹ / ₄ "					
MODEL	PRICE	FINISH	GLASS		
NGS160-11-40	\$1,699	Chrome	CLEAR		
NGS160-25-40	\$1,746	Brushed Nickel	CLEAR		
NGS160-33-40	\$1,756	Matte Black	CLEAR		
BASE	PRICE	SIZE	_		
ADQ3060-18	\$993	60" x 30" x 2 ¾"			
ABE3260-18-11-B	\$1,739	60" x 32" x 3"			
ABE3260-18-25-B	\$1,739	60" x 32" x 3"			
ADQ3260-18	\$1,024	60" x 32" x 2 ¾"			
AU_3260-33	\$1,739	60" x 32" x 2 ¾"			
ABT6032-18-L3 or R3	\$1,037	60" x 32" x 2 ¾"			
ADT6032-18-L3 or R3	\$915	60" x 32" x 3"			
AZM6032-18-11-B	\$1,922	60" x 32" x 1 ³/8"*			
AZM6032-18-25-B	\$1,922	60" x 32" x 1 ³/8"*			
ADQ3460-18	\$1,003	60" x 34" x 2 ¾"			
ABE3660-18-11-B	\$1,770	60" x 36" x 3"			
ABE3660-18-25-B	\$1,770	60" x 36" x 3"			
ADF3660-18-B	\$1,521	60" x 36" x 2"			
ADQ3660-18	\$1,090	60" x 36" x 2 ¾"			
AU_3660-33	\$1,873	60" x 36" x 2 ¾"			
ABT6036-18-3	\$1,101	60" x 36" x 2 ¾"			
ADT6036-18-3	\$968	60" x 36" x 3"			
AZM6036-18-11-B	\$1,991	60" x 36" x 1 ³/8"*			
AZM6036-18-25-B	\$1,991	60'' x 36'' x 1 ³/8''*			
ADQ4260-18	\$1,169	60" x 42" x 2 ¾"			
ADQ4860-18 *Unfinished height of thresho	\$1,251	60" x 48" x 2 ¾"			

[•]Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

ALL DRAINS SOLD SEPARATELY

DRAIN NO-CALK ^M SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain	\$47 \$62 \$89 \$47	Chrome Brushed Nickel Matte Black Chrome	
	DRAINPVC-25 DRAINPVC-33	PVC No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain	\$62 \$68	Brushed Nickel Matte Black	

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet







2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Shower door height: 75" Chrome, Brushed Nickel & Matte Black finishes

US 2022



N-LINE SHOWERS

GEMINI



MODEL NGS160-11-40

▼FLEURCO[®]SEK<u>U</u>R⁺

SAFETY PROTECTION (S.R.T.)*



10 ar limited





MERCURY IN-LINE

Frameless sliding doors

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

GLASS

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

Glass surface protection Microtek[®] INCLUDED at no charge.



FINISH

Chrome

Matte Black

ickel

GLASS

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

CLEAR

BYPASS 60 57" to 60" W · Approx. entry: 26 1/4" to 29 1/4"

NMS160-11-40 <u>0</u>-79 \$1,867

NMS160-33-40 _ -79 \$1,955

MODEL

H PRICE

NMS160-25-40 _ -79 | \$1,915 | Brushed Nickel

BYPASS 48

	45" to 48" W · Ap	oprox.	entry: 20	0 ¼" to 23	1⁄4"
	MODEL	н	PRICE	FINIS	н
	NMS148-11-40 ①	-79	\$1,652	Chrom	16
79"	NMS148-25-40	-79	\$1,697	Brushed N	lickel
	NMS148-33-40_	-79	\$1,739	Matte B	lack
	NMS148-11-40 ①	-86	\$1,716	Сһгоп	ne
86"	NMS148-25-40	-86	\$1,762	Brushed N	lickel
	NMS148-33-40_	-86	\$1,803	Matte B	lack
	BASE	PRIC	E	SIZE	
	ADQ3248-18	\$894	48'' x	32" x 2 ¾"	
	ADQ3448-18	\$912	48'' x	34" x 2 ¾"	
	ADQ3648-18	\$995	48'' x	36" x 2 ¾"	
	ABE3648-18-11-B	\$1,70) 48"	x 36" x 3"	
	ABE3648-18-25-B	\$1,70) 48"	x 36" x 3"	
	ADF3648-18-B	\$1,464	4 48"	x 36" x 2"	

ADQ3648-18	\$995	48'' x 36'' x 2 ¾''
ABE3648-18-11-B	\$1,700	48" x 36" x 3"
ABE3648-18-25-B	\$1,700	48" x 36" x 3"
ADF3648-18-B	\$1,464	48" x 36" x 2"
AU_3648-33	\$1,637	48" x 36" x 2 ¾"
ABT4836-18-3	\$980	48" x 36" x 2 ¾"
ADT4836-18-3	\$844	48" x 36" x 3"
AZM4836-18-11-B	\$1,904	48" x 36" x 1 ³/ ₈ "*
AZM4836-18-25-B	\$1,904	48" x 36" x 1 ³/ ₈ "*
ADT4842-18-3	\$968	48" x 42" x 3"

*Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 72 70" \ \ / . . 70" 11

69" to 72" W x 79" H \cdot Approx. entry: 32 $^{1\!/}_{2}$ " to 35 $^{1\!/}_{2}$ "				
MODEL	Н	PRICE	FINISH	GLASS
		40.005		

	°F	SIZE		
NMS172-33-4079	\$2,094	Matte Bl	ack	CLEAR
NMS172-25-4079	\$2,053	Brushed N	ickel	CLEAR
NMS172-11-40 <u>0</u> -79	\$2,007	Chrom	е	CLEAR

	FRICE	SIZE
·18	\$1,204	72" x 36" x 2 ¾"

DOOR OPT	IUNS
	or "R" to indicate loor side
Inner door	Inner door

	NMS160-11-40 <u>0</u> -86	\$1,930	Chrome
86"	NMS160-25-4086	\$1,977	Brushed Nicke
	NMS160-33-4086	\$2,015	Matte Black
	BASE	PRICE	SIZE
	ADQ3060-18	\$993	60" x 30" x 2 ¾"
	ABE3260-18-11-B	\$1,739	60" x 32" x 3"
	ABE3260-18-25-B	\$1,739	60" x 32" x 3"
	ADQ3260-18	\$1,024	60" x 32" x 2 ¾"
	AU_3260-33	\$1,739	60" x 32" x 2 ¾"
	ABT6032-18-L3 or R3	\$1,037	60" x 32" x 2 ¾"
	ADT6032-18-L3 or R3	\$915	60" x 32" x 3"
	AZM6032-18-11-B	\$1,922	60" x 32" x 1 ³/ ₈ "*
	AZM6032-18-25-B	\$1,922	60" x 32" x 1 ³/ ₈ "*
	ADQ3460-18	\$1,003	60" x 34" x 2 ¾"
	ABE3660-18-11-B	\$1,770	60" x 36" x 3"
	ABE3660-18-25-B	\$1,770	60" x 36" x 3"
	ADF3660-18-B	\$1,521	60" x 36" x 2"
	ADQ3660-18	\$1,090	60" x 36" x 2 ¾"
	AU_3660-33	\$1,873	60" x 36" x 2 ¾"
	ABT6036-18-3	\$1,101	60" x 36" x 2 ¾"
	ADT6036-18-3	\$968	60" x 36" x 3"
	AZM6036-18-11-B	\$1,991	60" x 36" x 1 ³/ ₈ "*
			-

*Unfinished height of threshold

AZM6036-18-25-B

ADQ4260-18

ADQ4860-18

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

\$1,991

\$1,169

\$1,251

60" x 36" x 1 ³/₈"*

60" x 42" x 2 ¾"

60" x 48" x 2 ¾"

ALL DRAINS SOLD SEPARATELY

DRAIN NO-CALK ^{IM} SHOWER BASE DRAIN*	DRAINABS-11 DRAINABS-25	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain	\$47 \$62	Chrome Brushed Nickel
SHOWER DASE DRAIN	DRAINABS-33	ABS No-Calk 2'' drain	\$89	Matte Black
0	DRAINPVC-11	PVC No-Calk 2'' drain	\$47	Chrome
10000	DRAINPVC-25	PVC No-Calk 2'' drain	\$62	Brushed Nickel
<u> </u>	DRAINPVC-33	PVC No-Calk 2'' drain	\$68	Matte Black

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet



MERCURY IN-LINE BYPASS Frameless sliding doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Shower door height: 79" or 86" Chrome, Brushed Nickel & Matte Black finishes



MERCURY

 $\overline{\mathbf{\nabla}}$

"91

ADQ3672-





SAFETY PROTECTION (S.R.T.)





CORDOBA PLUS IN-LINE

Semi-frameless sliding doors without FleurcoSEKUR+ Safety Protection (S.R.T.)

3/8" (10 mm) Tempered clear glass • 75" Height (Bypass 61: 79" H) 1/4" (6 mm) Tempered clear glass • 75" Height

BYPASS 48

44" to 48" W x 75" H · Approx. entry: 20" to 24"

GLASS CLEAR CLEAR CLEAR CLEAR
CLEAR CLEAR CLEAR
CLEAR CLEAR CLEAR
CLEAR
CLEAR
CLEAR
CLEAR
1

*Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 61

58" to 62" W x 79" H · Approx. entry: 25" to 29"

MODEL	PRICE	FINISH	GLASS				
3/8" (10 mm) tempered glass							
CL161-11-40	\$1,615	Chrome	CLEAR				
CL161-25-40	\$1,659	Brushed Nickel	CLEAR				
BASE	PRIC	CE SIZE					
ABF3763AD-18-11-	B \$2,02	29 63" x 38 ½" x 1 ³/8"	*				
ABF3763AD-18-25-	B \$2,02	29 63" x 38 ½" x 1 ³/8"	*				
*Unfinished height of th	reshold		A				

BYPASS 72

S8" to 72" W x 75" H · Approx entry: 30" to 34"

	68 to /2 WX/		P				
	MODEL	PRICE	FINISH	GLASS	BASE	PRICE	SIZE
	3/	tempered glass	ADQ3672-18	\$1,204	72" x 36" x 2 ¾"		
$\overline{\mathbf{\nabla}}$	CL172-11-40	\$1,846	Chrome	CLEAR			
8	CL172-25-40	\$1,898	Brushed Nickel	CLEAR			

BYPASS 60 56" to 60" W x 7	5" H · Appr	ox. entry: 24" to 28	3"
MODEL	PRICE	FINISH	GLASS
1/-	4" (6 mm) te	mpered glass	
CK160-11-40	\$1,134	Chrome	CLEAR
CK160-25-40	\$1,176	Brushed Nickel	CLEAR
CK160-33-40	\$1,254	Matte Black	CLEAR
3/8	3" (10 mm) te	empered glass	
CL160-11-40	\$1,508	Chrome	CLEAR
CL160-25-40		Brushed Nickel	CLEAR
CL160-33-40	\$1,628	Matte Black	CLEAR
BASE	PRICE		CLLAR
ADQ3060-18	\$993	60" x 30" x 2 ¾"	
ABE3260-18-11-B	\$1,739		
ABE3260-18-25-B	\$1,739		
ADQ3260-18	\$1,024	60" x 32" x 2 ¾"	
AU_3260-33	\$1,739	60" x 32" x 2 ¾"	
ABT6032-18-L3 or R	3 \$1,037	60" x 32" x 2 ¾"	
ADT6032-18-L3 or R	3 \$915	60" x 32" x 3"	
AZM6032-18-11-B	\$1,922	60" x 32" x 1 ³ / ₈ "*	
AZM6032-18-25-B	\$1,922	60" x 32" x 1 ³/8"*	
ADQ3460-18	\$1,003	60" x 34" x 2 ¾"	
ABE3660-18-11-B	\$1,770	60" x 36" x 3"	
ABE3660-18-25-B	\$1,770	60" x 36" x 3"	
ADF3660-18-B	\$1,521		
ADQ3660-18	\$1,090	60" x 36" x 2 ¾"	
AU_3660-33	\$1,873		
ABT6036-18-3	\$1,101		
ADT6036-18-3	\$968	60" x 36" x 3"	
AZM6036-18-11-B	\$1,991	60" x 36" x 1 ³ / ₈ "*	
AZM6036-18-25-B	\$1,991	60" x 36" x 1 ³ / ₈ "*	
ADQ4260-18	\$1,169		
ADQ4860-18 *Unfinished height of thr	\$1,251 reshold	60" x 48" x 2 ¾"	

For additional compatible bases, refer to the base booklet or visit www.fleurco.con



COR	OBA IN-LINE BYP
1.4.1	
The The	
1.	
12.12.20	
	~
TERRY	
	The second se
1212	
1-1-1-	
and the	
1	
1 1 2 3	

IN-LINE BYPASS **PLUS** Semi-frameless sliding doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Anti-rattle tracking system 3/8" (10mm) and 1/4" (6mm) clear tempered glass Shower door height: 75" (79" for bypass 61) Chrome, Brushed Nickel & Matte Black (certain models only) finishes





MODEL CL161-11-40 Shown with Adaptek base ABF3763AD-18-11-B





CORDOBA IN-LINE

Semi-frameless sliding doors without FleurcoSEKUR+ Safety Protection (S.R.T.)

1/4" (6 mm) Tempered clear glass • 70 ¹/₄" Height

BYPASS 46

42" to 46"	W x 70 ¼" I	H · Approx. entry: 19	" to 23"

MODEL	PRICE	FINISH	GLASS
CS146-11-40	\$1,038	Chrome	CLEAR
CS146-25-40	\$1,077	Brushed Nickel	CLEAR

BYPASS 48

44" to 48" W x 70 ¹/₄" H · Approx. entry: 20" to 24"

MODEL	PRICE	FIN	NISH	GLASS
CS148-11-40	\$1,047	Chi	rome	CLEAR
CS148-25-40	\$1,090	Brushe	ed Nickel	CLEAR
BASE	P	RICE	SIZE	
ADQ3248-18	\$8	94 48	" x 32" x 2 ¾	
ADQ3448-18	\$9	12 48	" x 34" x 2 ¾	
ADQ3648-18	\$9	95 48	" x 36" x 2 ¾	
ABE3648-18-11-B	\$1,	,700 4	8" x 36" x 3"	
ABE3648-18-25-B	\$1,	,700 4	8" x 36" x 3"	
ADF3648-18-B	\$1,	.464 4	8" x 36" x 2"	
AU_3648-33	\$1,	,637 48	" x 36" x 2 ¾	
ABT4836-18-3	\$9	80 48	" x 36" x 2 ¾	
ADT4836-18-3	\$84	44 4	8" x 36" x 3"	
AZM4836-18-11-B	\$1,	904 48'	' x 36'' x 1 ³/ ₈ '	'*
AZM4836-18-25-B	\$1,	904 48'	' x 36'' x 1 ³/ ₈ '	'*
ADT4842-18-3	\$9	68 4	8" x 42" x 3"	

eight of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

BYPASS 56

52" to 56" W x 70 ¼" H · Approx. entry: 22" to 26"

MODEL	PRICE	FINISH	GLASS
CS156-11-40	\$1,083	Chrome	CLEAR
CS156-25-40	\$1,121	Brushed Nickel	CLEAR

BYPASS 60

56" to 60" W x 70 ¹/₄" H · Approx. entry: 24" to 28"

56" to 60" W x 70 $\frac{1}{4}$ " H · Approx. entry: 24" to 28"					
MODEL	PRICE		FINISH	GLAS	
CS160-11-40	\$1,100		Chrome	CLEAR	
CS160-25-40	\$1,141	Вги	shed Nickel	CLEAR	
BASE	PI	RICE	SIZE		
ADQ3060-18	\$9	93	60" x 30" x 2 ¾		
ABE3260-18-11-B	\$1,	,739	60" x 32" x 3"		
ABE3260-18-25-B	\$1,	,739	60" x 32" x 3"		
ADQ3260-18	\$1,	,024	60" x 32" x 2 ¾		
AU_3260-33	\$1,	,739	60" x 32" x 2 ¾		
ABT6032-18-L3 or	R3 \$1,	,037	60" x 32" x 2 ¾		
ADT6032-18-L3 or	R3 \$9	15	60" x 32" x 3"		
AZM6032-18-11-B	\$1,	,922	60" x 32" x 1 ³ /8	"*	
AZM6032-18-25-B	\$1	,922	60" x 32" x 1 ³ /8	"*	
ADQ3460-18	\$1,	,003	60" x 34" x 2 ¾		
ABE3660-18-11-B	\$1,	,770	60" x 36" x 3"		
ABE3660-18-25-B	\$1,	,770	60" x 36" x 3"		
ADF3660-18-B	\$1,	,521	60" x 36" x 2"		
ADQ3660-18	\$1,	,090	60" x 36" x 2 ¾		
AU_3660-33	\$1,	,873	60" x 36" x 2 ¾		
ABT6036-18-3	\$1,	,101	60" x 36" x 2 ¾		
ADT6036-18-3	\$9	68	60" x 36" x 3"		
AZM6036-18-11-B	\$1	,991	60" x 36" x 1 ³ / ₈	"*	
AZM6036-18-25-B	\$1	,991	60" x 36" x 1 ³ /8	"*	
ADQ4260-18	\$1,	,169	60" x 42" x 2 ¾		
ADQ4860-18		,251	60" x 48" x 2 ¾		
*Unfinished height of t	threshold				

Unfinished height of threshold

For additional compatible bases, refer to the base booklet or visit www.fleurco.com


ALL DRAINS SOLD SEPARATELY

Wall	DR
FIDO Systems	SHOWER
by 🗢 FLEURCO [.]	
For information see Fibo by Fleurco section	

RAIN NO-CALK ^{IM} FER BASE DRAIN*	DRAINABS-11 DRAINABS-25 DRAINABS-33 DRAINPVC-11 DRAINPVC-25 DRAINPVC-33	ABS No-Calk 2" drain ABS No-Calk 2" drain ABS No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain PVC No-Calk 2" drain	\$89 \$47	Chrome Brushed Nickel Matte Black Chrome Brushed Nickel Matte Black

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet





CORDOBA IN-LINE BYPASS Semi-frameless sliding doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system bracket Superior bottom guiding system Easy to install 1/4" (6mm) clear tempered glass Shower door height: 70 1/4" Chrome & Brushed Nickel finishes



CORDOBA

 $\overline{\nabla}$







Microtek[®] Glass Protector





YOUR GLASS PROTECTED WITH MICROTEK[®]

- Resists staining from hard water deposits
 Is easier to clean
- Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort · Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.

MICROTEK GLASS CLEANING								
Type of Cleaning	Step 1	Step 2	Step 3	Step 4	Step 5	Recommended Frequency		
After Use	Spray down glass with hot water.	Dry with squeegee.	N/A	N/A	N/A	Immediately after showering.		
Regular Maintenance	Water down the panels then clean with mild, non-abrasive soap on a soft sponge.	Rinse off with clean water.	Spray with a solution of 1 part vinegar + 4 parts water.	Rinse off with clean water.	Dry with squeegee.	Weekly.		

PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers, razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.

MICROTEK IS EXPECTED TO PERFORM FOR UP TO 10 YEARS

WHAT IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek[®] coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



US 2022

FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)

Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES







Frameless sliding doors with return panelsizes: 48, 54, 60









MERCURY 2 SIDED	}
Frameless sliding doors with return panel	
Sizes: 48, 60, 72	





See information pages at the end of the section

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. **USA MIDWEST** Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. **USA WEST** Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS 2 SIDED

Frameless sliding doors with return panel

3/8" (10 mm) Tempered clear glass • 79" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field

BYPASS 48 WITH RETURN PANEL

45" to 48" W x 79" H · Approx. entry: 20 1/4" to 23 1/4"

MODEL		PRICE		FINICI	GLAS	
MODEL	32"	36"	42"	FINISH	GLAS	
NPUS48 <u>RP</u> <u>0</u> -11-40	\$2,880	\$2,928	\$3,001	Chrome	CLEAR	
NPUS4825-40	\$2,965	\$3,012	\$3,085	Brushed Nickel	CLEAR	
NPUS4833-40	\$2,978	\$3,026	\$3,099	Matte Black	CLEAR	

BYPASS 54 WITH RETURN PANEL

51" to 54" W x 79" H · Approx. entry: 23 ¹/₄" to 26 ¹/₄"

MODEL		PRICE		FINISH	GLA	
MODEL	32"	36"	42"	ГІЛІЭП	GLA	
NPUS54 <u>RP</u> <u>0</u> -11-40	\$2,943	\$2,991	\$3,064	Chrome	CLEA	
NPUS5425-40	\$3,021	\$3,068	\$3,141	Brushed Nickel	CLE/	
NPUS5433-40	\$3,033	\$3,081	\$3,154	Matte Black	CLEA	

Glass surface protection at no charge.

FLEURCO[®]SEKUR^{*} SAFETY PROTECTION (S.R.T.)

	BASE	PRICE	SIZE
	ADQ3248-18	\$894	48" x 32" x 2 ¾"
	ADQ3648-18	\$995	48" x 36" x 2 ¾"
s	ABE3648-18-11-B	\$1,700	48" x 36" x 3"
	ABE3648-18-25-B	\$1,700	48" x 36" x 3"
{	ADF3648-18-B	\$1,464	48" x 36" x 2"
2	AU_3648-33	\$1,637	48" x 36" x 2 ¾"
2	ADT4836-18-L2 or R2	\$844	48" x 36" x 3"
_	ABT4836-18-L2 or R2	\$980	48" x 36" x 2 ¾"
	ADTC4836-18-L2 or R2	\$844	48" x 36" x 3"
	ADT4842-18-L2 or R2	\$968	48" x 42" x 3"
	For additional compatible bas	ses, refer to t	the base booklet or

visit www.fleurco.com

	BASE	PRICE	SIZE
ASS	ADT5436-18-L2 or R2	\$905	54" x 36" x 3"
EAR			
EAR			
EAR			


SIZE 60" x 32" x 2 ¾ 60" x 32" x 3" 60" x 32" x 3" 60" x 32" x 2 ¾' 60" x 36" x 2 ¾'

60" x 36" x 3"

BYPASS 60 WITH RETURN PANEL

57" to 60" W x 79" H · Approx. entry: 26 1/4" to 29 1/4"

	PR					BASE	PRICE
MODEL	32"	36"	42"	FINISH	GLASS	ADQ3260-18	\$1,024
NPUS60 RP 1 -11-40	\$3,008	\$3,056	\$3,129	Chrome	CLEAR	ABE3260-18-11-B	\$1,739
						ABE3260-18-25-B	\$1,739
NPUS6025-40	\$3,074			Brushed Nickel	CLEAR	AU_3260-33	\$1,739
NPUS6033-40	\$3,090	\$3,138	\$3,211	Matte Black	CLEAR	ADQ3660-18	\$1,090





ALL DRAINS SOLD SEPARATELY

SHOWER BASE DRAIN*	ABS-25 ABS No- ABS-33 ABS No- PVC-11 PVC No- PVC-25 PVC No-	Calk 2" drain \$ Calk 2" drain \$ Calk 2" drain \$ Calk 2" drain \$ Calk 2" drain \$	89 647	Chrome Brushed Nickel Matte Black Chrome Brushed Nickel Matte Black
--------------------	--	--	-----------	--

*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet

	ABE3660-18-25-B	\$1,770	60" x 36" x 3"
	ADF3660-18-B	\$1,521	60" x 36" x 2"
	AU_3660-33	\$1,873	60" x 36" x 2 ¾"
	ADT6036-18-L2 or R2	\$968	60" x 36" x 3"
	ABT6036-18-L2 or R2	\$1,101	60" x 36" x 2 ¾"
	ADQ4260-18	\$1,169	60" x 42" x 2 ¾"
	For additional compatible bas visit www.fleurco.com	ses, refer to t	he base booklet or
_			
11			

\$1,770

ABE3660-18-11-B

RETURN PANELS
32" RP = 29 3/8" to 29 7/8"
36" RP = 33 3/8" to 33 7/8"
42" RP = 39 3/8" to 39 7/8"



GEM **2 SIDED BYPASS PLUS**

2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Shower door height: 79" Chrome, Brushed Nickel & Matte Black finishes



GEMINI PLUS

 \bigcirc

10DEL NPUS6036R-33-40

Frameless sliding doors with return panel

✓ FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)*





GEMINI 2 SIDED

Frameless sliding doors with return panel

1/4" (6 mm) Tempered clear glass • 75" Height

RP You must indicate your return panel size 32" or 36" in the "RP" field

BYPASS 48 WITH RETURN PANEL

45" to 48" W x 75" H · Approx. entry: 20 1/4" to 23 1/4"

	PR	ICE	FINICI		
MODEL	32"	36"	FINISH	GLASS	
NGUS48 <u>RP</u> <u>0</u> -11-40	\$2,432	\$2,464	Chrome	CLEAR	
NGUS4825-40	\$2,505	\$2,541	Brushed Nickel	CLEAR	
NGUS4833-40	\$2,520	\$2,560	Matte Black	CLEAR	

	BASE	PRICE	SIZE
SS	ADQ3248-18	\$894	48" x 32" x 2 ¾"
R	ADQ3648-18	\$995	48" x 36" x 2 ¾"
	ABE3648-18-11-B	\$1,700	48" x 36" x 3"
R	ABE3648-18-25-B	\$1,700	48" x 36" x 3"
R	ADF3648-18-B	\$1,464	48" x 36" x 2"
	AU_3648-33	\$1,637	48" x 36" x 2 ¾"
	ADT4836-18-L2 or R2	\$844	48" x 36" x 3"
	ABT4836-18-L2 or R2	\$980	48" x 36" x 2 ¾"
	ADTC4836-18-L2 or R2	\$844	48" x 36" x 3"

Glass surface protection

at no charge.

SAFETY PROTECTION (S.R.T.)

SIZE

54" x 36" x 3"

SIZE

60" x 32" x 2 ¾

60" x 32" x 3"

60" x 32" x 3"

60" x 32" x 2 ¾'

60" x 36" x 2 ¾

60" x 36" x 3"

60" x 36" x 3"

60" x 36" x 2"

60" x 36" x 2 ¾"

60" x 36" x 3"

60" x 36" x 2 ¾

Microtek® INCLUDED

FLEURCO⁻SEKUR^{*}

For additional compatible bases, refer to the base booklet or visit www.fleurco.com

PRICE

\$905

PRICE

\$1,024

\$1,739

\$1,739

\$1,739

\$1,090

\$1,770

\$1,770

\$1,521

\$1,873

\$1,101

\$968

BASE

BASE

ADQ3260-18

ABE3260-18-11-B

ABE3260-18-25-B

ADT6036-18-L2 or R2 ABT6036-18-L2 or R2

ADT5436-18-L2 or R2

BYPASS 54 WITH RETURN PANEL 51" to 54" W x 75" H · Approx. entry: 23 1/4" to 26 1/4"

MODEL		PR	ICE	FINISH		
	MODEL	32"	36"	FINISH	GLASS	
	NGUS54 <u>RP</u> <u>0</u> -11-40	\$2,473	\$2,505	Chrome	CLEAR	
	NGUS5425-40	\$2,546	\$2,582	Brushed Nickel	CLEAR	
	NGUS5433-40	\$2,556	\$2,596	Matte Black	CLEAR	

BYPASS 60 WITH RETURN PANEL

57" to 60" W x 75" H · Approx. entry: 26 1/4" to 29 1/4"

	PRICE		PRICE		PRICE			AU_3260-33
MODEL	32"	36"	FINISH	GLASS	ADQ3660-18			
			CI.	CLEAD	ABE3660-18-11-B			
NGUS60 <u>RP</u> <u>0</u> -11-40	\$2,512	\$2,544	Chrome	CLEAR	ABE3660-18-25-B			
NGUS6025-40	\$2,585	\$2,621	Brushed Nickel	CLEAR	ADF3660-18-B			
NGUS6033-40	\$2,598	\$2,638	Matte Black	CLEAR	AU_3660-33			



			For additional compatible bases, refer to the base book visit www.fleurco.com
Fibo	Wall Syst	ems	
For information see Fib	o by Fle	urco section	
ABS No-Calk 2'' drain	\$47	Chrome	

AR2 NO-CAIK S DLAID	\$4 <i>1</i>	Lnrome
ABS No-Calk 2'' drain	\$62	Brushed Nickel
ABS No-Calk 2'' drain	\$89	Matte Black
PVC No-Calk 2'' drain	\$47	Chrome
PVC No-Calk 2'' drain	\$62	Brushed Nickel
PVC No-Calk 2'' drain	\$68	Matte Black

RETURN PANELS
32" RP = 29 3/8" to 29 7/8"
36" RP = 33 3/8" to 33 7/8"



GEMINI 2 SIDED BYPASS Frameless sliding doors with return panel

2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Shower door height: 75" Chrome, Brushed Nickel & Matte Black finishes



US 2022

 \bigcirc



MODEL NGUS6036R-11-40

FLEURCO[®]SEKUR[†]

SAFETY PROTECTION (S.R.T.)









MERCURY 2 SIDED

Frameless sliding doors with return panel

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field**

**32" & 42" return panels are not available with 86" height.

Σ

SIDED

2

MERCURY

US 2022

BYPASS 48 with return panel on left side 45" to 48" W · Approx. entry: 20 ¹/₄" to 23 ¹/₄"

	MODEL H	PRICE			FINICI	
		32"	36"	42"	FINISH	GLASS
		Return	panel on le	eft side		
	NMS248R RP L-11-40-79	\$2,414	\$2,469	\$2,513	Chrome	CLEAR
79"	NMS248R L-25-40-79	\$2,489	\$2,542	\$2,587	Brushed Nickel	CLEAR
	NMS248R L-33-40-79	\$2,565	\$2,621	\$2,664	Matte Black	CLEAR
	NMS248R36L-11-40-86	N/A	\$2,561	N/A	Chrome	CLEAR
86"	NMS248R36L-25-40-86	N/A	\$2,640	N/A	Brushed Nickel	CLEAR
	NMS248R36L-33-40-86	N/A	\$2,717	N/A	Matte Black	CLEAR

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 with return panel on left side 57" to 60" W · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

	PRICE			ГІЛІСЦ	
	32"	36"	42"	FINISH	GLASS
	Return	banel on le	eft side		
NMS260R <u>RP</u> L-11-40-79	\$2,629	\$2,684	\$2,728	Chrome	CLEAR
NMS260R L-25-40-79	\$2,707	\$2,760	\$2,805	Brushed Nickel	CLEAR
NMS260R L-33-40-79	\$2,781	\$2,837	\$2,880	Matte Black	CLEAR
NMS260R36L-11-40-86	N/A	\$2,775	N/A	Chrome	CLEAR
NMS260R36L-25-40-86	N/A	\$2,855	N/A	Brushed Nickel	CLEAR
NMS260R36L-33-40-86	N/A	\$2,929	N/A	Matte Black	CLEAR
	NMS260R L-25-40-79 NMS260R L-33-40-79 NMS260R36L-11-40-86 NMS260R36L-25-40-86	32" Return NMS260R 2,629 NMS260R 2,707 NMS260R 2,707 NMS260R 2,781 NMS260R36L-11-40-86 N/A NMS260R36L-25-40-86 N/A	MODEL H 32" 36" Return Dale on le NMS260R RP L-11-40-79 \$2,629 \$2,684 NMS260R L-25-40-79 \$2,707 \$2,700 NMS260R L-33-40-79 \$2,781 \$2,837 NMS260R36L-11-40-86 N/A \$2,775 NMS260R36L-25-40-86 N/A \$2,855	MODEL H 32" 36" 42" Return Jac NMS260R RP L-11-40-79 \$2,629 \$2,684 \$2,728 NMS260R L-25-40-79 \$2,707 \$2,760 \$2,805 NMS260R L-33-40-79 \$2,781 \$2,837 \$2,880 NMS260R36L-11-40-86 N/A \$2,775 N/A NMS260R36L-25-40-86 N/A \$2,855 N/A	MODEL H 32" 36" 42" FINISH Return Jac FINISH NMS260R RP L-11-40-79 \$2,629 \$2,684 \$2,728 Chrome NMS260R L-25-40-79 \$2,707 \$2,760 \$2,805 Brushed Nickel NMS260R L-33-40-79 \$2,781 \$2,837 \$2,880 Matte Black NMS260R36L-11-40-86 N/A \$2,775 N/A Chrome NMS260R36L-25-40-86 N/A \$2,855 N/A Brushed Nickel

For suggested shower bases visit www.fleurco.com and search model number

BYPASS 72 WITH RETURN PANEL ON LEFT SIDE 69" to 72" W · Approx entry: 321/2" to 351/2"

	69 to 72 W Approx. entry: 32 72 to 33 72						
	MODEL H	PRICE		FINICI			
		32"	36"	42"	FINISH	GLASS	
	Return panel on left side						
	NMS272R RP L-11-40-79	\$2,769	\$2,824	\$2,868	Chrome	CLEAR	
79"	NMS272R L-25-40-79	\$2,845	\$2,898	\$2,943	Brushed Nickel	CLEAR	
	NMS272R L-33-40-79	\$2,920	\$2,976	\$3,019	Matte Black	CLEAR	

For suggested shower bases visit www.fleurco.com and search model number.

ALL DRAINS SOLD SEPARATELY



*Please check local codes to ensure appropriate drain specifications For AU (Aurora) bases, please see specialty section in the base booklet

Glass surface protection Microtek® INCLUDED at no charge.

2'' drain	\$47	Chrome	
2'' drain	\$62	Brushed Nickel	
2'' drain	\$89	Matte Black	
2'' drain	\$47	Chrome	
2'' drain	\$62	Brushed Nickel	
2'' drain	\$68	Matte Black	
2" drain 2" drain 2" drain	\$89 \$47 \$62	Matte Black Chrome Brushed Nickel	

▼FLEURCO[•]SEK<u>U</u>R[∗] SAFETY PROTECTION (S.R.T.)

Inner door & return panel must be on opposite

sides for this configuration.

Inner door closes against wall

WALL

0

NMS260 (R) 32 (L)-11-40-79

Return panel Return panel side

Door front Inner door side

 \bigcirc

Inner door

RETURN PANELS**

32" RP = 29 3/8" to 29 7/8"

36" RP = 33 3/8" to 33 7/8"

42" RP = 39 3/8" to 39 7/8"

**32" & 42" return panels are not

available with 86" height.

I≽

MERCURY 2 SIDED

Frameless sliding doors with return panel

5/16" (8 mm) Tempered clear glass • 79" or 86" Height

RP You must indicate your return panel size 32", 36" or 42" in the "RP" field**

**32" & 42" return panels are not available with 86" height.

BYPASS 48 WITH RETURN PANEL ON RIGHT SIDE

45" to 48" W · Approx. entry: 20 1/4" to 23 1/4"

	MODEL H		PRICE		FINISH	GLASS
		32"	36"	42"	гілізп	GLA33
		Return p	anel on rig	ght side		
	NMS248L RP R-11-40-79	\$2,414	\$2,469	\$2,513	Chrome	CLEAR
79"	NMS248LR-25-40-79	\$2,489	\$2,542	\$2,587	Brushed Nickel	CLEAR
	NMS248L R-33-40-79	\$2,565	\$2,621	\$2,664	Matte Black	CLEAR
	NMS248L36R-11-40-86	N/A	\$2,561	N/A	Chrome	CLEAR
86"	NMS248L36R-25-40-86	N/A	\$2,640	N/A	Brushed Nickel	CLEAR
	NMS248L36R-33-40-86	N/A	\$2,717	N/A	Matte Black	CLEAR

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 60 WITH RETURN PANEL ON RIGHT SIDE 57" to 60" W · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

		-				
	MODEL H	PRICE			FINICI	
		32"	36"	42"	FINISH	GLASS
		Return p	anel on rig	ght side		
	NMS260L <u>RP</u> R-11-40-79	\$2,629	\$2,684	\$2,728	Chrome	CLEAR
79"	NMS260L R-25-40-79	\$2,707	\$2,760	\$2,805	Brushed Nickel	CLEAR
	NMS260L R-33-40-79	\$2,781	\$2,837	\$2,880	Matte Black	CLEAR
	NMS260L36R-11-40-86	N/A	\$2,775	N/A	Chrome	CLEAR
86"	NMS260L36R-25-40-86	N/A	\$2,855	N/A	Brushed Nickel	CLEAR
	NMS260L36R-33-40-86	N/A	\$2,929	N/A	Matte Black	CLEAR

For suggested shower bases visit www.fleurco.com and search model number.

BYPASS 72 WITH RETURN PANEL ON RIGHT SIDE 69" to 72" W · Approx entry: 32 1/2" to 35 1/2"

	09 to 72 W Approx. ent						
	MODEL H		PRICE		FINISH	GLASS	
		32"			гілізп	GLASS	
Return panel on right side							
	NMS272L RP R-11-40-79	\$2,769	\$2,824	\$2,868	Chrome	CLEAR	
	NMS272L R-25-40-79	\$2,845	\$2,898	\$2,943	Brushed Nickel	CLEAR	
	NMS272L R-33-40-79	\$2,920	\$2,976	\$3,019	Matte Black	CLEAR	

For suggested shower bases visit www.fleurco.com and search model number.




SAFETY PROTECTION (S.R.T.

▼FLEURCO[•]SEK<u>U</u>R[∗]

C

Inner door & return panel must be on opposite sides for this configuration.







MERCURY 2 SIDED BYPASS Frameless sliding doors with return panel

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Shower door height: 79" or 86" Chrome, Brushed Nickel & Matte Black finishes



Microtek[®] Glass Protector

YOUR GLASS PROTECTED WITH MICROTEK®

- Resists staining from hard water deposits Is easier to clean • Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort
 Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.



PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers,
- razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.



ANING		
Step 4	Step 5	Recommended Frequency
A	N/A	Immediately after showering.
nse off with ean water.	Dry with squeegee.	Weekly.
	I	

MICROTEK IS EXPECTED TO PERFORM FOR UP TO **10 YEARS**



SAFETY PROTECTION (S.R.T.)

WHAT IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek® coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES



BYPASS TUB ENCLOSURES

2-3



ļ	GEMINI PLUS Frameless sliding Sizes: 60, 65	S TUB ENCLOSURE doors		
		C		
E			OSURE	
	GEMINITUB Frameless sliding Size: 60			
B	MERCURY T Frameless sliding Size: 60 M SEKUR			
	*CORDOBA I Semi-frameless s Size: 60	PLUS TUB ENCLOSUF liding doors	RE	10-11
	*CORDOBA Semi-frameless s Sizes: 56, 60	FUB ENCLOSURE		
ر Gla	ss surface protection	SEKUR ⁺ Safety protection (S.R.T.)	Available finishes Chrome	Glass type C Clear
: :: [Microtek® ⊊fleurco	FLEURCO ⁻ SEKUR ⁺ SAFETY PROTECTION (S.R.T.)	Brushed NickelMatte Black	

See information pages at the end of the section

*Without FleurcoSEKUR+ Safety Protection (S.R.T.)

FLEURCO INC. **USA EAST** Tel: 856.778.0110 | Toll Free: 1.888.568.2121 | Fax: 1.888.854.1020 FLEURCO INC. USA MIDWEST Tel: 630.607.0847 | Toll Free: 1.888.263.3651 | Fax: 331.225.2549 FLEURCO INC. USA WEST Tel: 562.368.8800 | Toll Free: 1.877.413.2880 | Fax: 562.368.8812

NEW MATTE BLACK

FINISH

ſ

FLEURCO INC. CANADA Tel: 1.514.326.2222 | Toll Free: 1.800.993.0033 | Fax: 1.514.326.2008 | www.fleurco.com

GEMINI PLUS TUB ENCLOSURE

Frameless sliding tub doors

3/8" (10 mm) Tempered clear glass • 66" Height





BYPASS TUB ENCLOSURE 60 57" to 60" W x 66" H · Approx. entry: 26 ¹/₄" to 29 ¹/₄"

MODEL	PRICE	FINISH	GLASS
NPST60-11-40	\$2,019	Chrome	CLEAR
NPST60-25-40	\$2,065	Brushed Nickel	CLEAR
NPST60-33-40	\$2,071	Matte Black	CLEAR

BYPASS TUB ENCLOSURE 65

62" to 65" W x 66" H · Approx. entry: 28 ³/₄" to 31 ³/₄"

MODEL	PRICE	FINISH	GLASS
NPST65-11-40	\$2,059	Chrome	CLEAR
NPST65-25-40	\$2,105	Brushed Nickel	CLEAR
NPST65-33-40	\$2,111	Matte Black	CLEAR





2 sliding door panels for right or left hand entry Anti-jump safety roller system 3/8" (10mm) clear tempered glass Tub door height: 66" Chrome, Brushed Nickel & Matte Black finishes



▼FLEURCO<u>SEKUR</u>⁺

SAFETY PROTECTION (S.R.T.)



10 vear limited



Frameless sliding tub doors with return panel

3/8" (10 mm) Tempered clear glass • 66" Height



RETURN PANEL

32" RP = 29 3/8" to 29 7/8"

Glass surface protectior

BYPASS TUB ENCLOSURE 60

WITH 32" RETURN PANEL

57" to 60" W x 66" H · Approx. entry: 26 1/4" to 29 1/4"


MODEL	PRICE	FINISH	GLASS
NPUST6032 <u>•</u> -11-40	\$2,689	Chrome	CLEAR
NPUST603225-40	\$2,761	Brushed Nickel	CLEAR
NPUST603233-40	\$2,793	Matte Black	CLEAR

BYPASS TUB ENCLOSURE 65

WITH 32" RETURN PANEL

62" to 65" W x 66" H · Approx. entry: 28 ¹/₂" to 31 ¹/₂"

	1-1		
MODEL	PRICE	FINISH	GLASS
NPUST6532 <u>0</u> -11-40	\$2,729	Chrome	CLEAR
NPUST653225-40	\$2,801	Brushed Nicke	l CLEAR
NPUST653233-40	\$2,833	Matte Black	CLEAR
BATHTUB PRICE	SIZE		
BZSE6632L or R-18 \$2,838	66" W x 32" D x 3	20 "H	







GEMI **BYPASS 2 SIDED TUB ENCLOSURE** Frameless sliding tub doors with return panel **PLUS**

2 sliding door panels for right or left hand entry with return panel Anti-jump safety roller system 3/8" (10mm) clear tempered glass Tub door height: 66" Chrome, Brushed Nickel & Matte Black finishes



✓ FLEURCO[®]SEKUR^{*}

SAFETY PROTECTION (S.R.T.)



Glass surface protection



GEMINI TUB ENCLOSURE

BYPASS TUB ENCLOSURE 60

Frameless sliding tub doors

1/4" (6 mm) Tempered clear glass • 60" Height

57" to 60" W x 60" H · Approx. entry: 26 1/4" to 29 1/4"

FINISH

Chrome

Brushed Nickel

Matte Black

GLASS

CLEAR

CLEAR

CLEAR

PRICE

\$1,649

\$1,696

\$1,705



▼FLEURCO[®]SEKUR^{*} SAFETY PROTECTION (S.R.T.)

US 2022





GEMINI **BYPASS TUB ENCLOSURE** Frameless sliding tub doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system 1/4" (6mm) clear tempered glass Tub door height: 60" Chrome, Brushed Nickel & Matte Black finishes



MODEL

NGST60-11-40

NGST60-25-40

NGST60-33-40

SAFETY PROTECTION (S.R.T.)



FLEURCO[®]SEKUR⁺

10 vear limited warranty



MERCURY TUB ENCLOSURE

Frameless sliding tub doors

5/16" (8 mm) Tempered clear glass • 66" Height






BYPASS TUB ENCLOSURE 60

57" to 60" W x 66" H · Approx. entry: 26 1/4" to 29 1/4"

MODEL	PRICE	FINISH	GLASS
NMST60-11-40 <u>1</u>	\$1,683	Chrome	CLEAR
NMST60-25-40	\$1,729	Brushed Nickel	CLEAR
NMST60-33-40	\$1,768	Matte Black	CLEAR







MERCURY BYPASS TUB ENCLOSURE Frameless sliding tub doors

2 sliding door panels for right or left hand entry Anti-jump safety roller system Vertical handles 5/16" (8mm) clear tempered glass Tub door height: 66" Chrome, Brushed Nickel & Matte Black finishes



 \bigcirc

▼FLEURCO<u>SEKUR</u>⁺

SAFETY PROTECTION (S.R.T.)





CORDOBA PLUS TUB ENCLOSURE

Semi-frameless sliding tub doors without FleurcoSEKUR+ Safety Protection (S.R.T.)

3/8" (10 mm) Tempered clear glass • 60" Height 1/4" (6 mm) Tempered clear glass • 60" Height

BYPASS TUB ENCLOSURE 60

56" to 60" W x 60" H · Approx. entry: 24" to 28"

MODEL	PRICE	FINISH	GLASS	
1/	4" (6 mm) t	empered glass		
CKT60-11-40	\$1,074	Chrome	CLEAR	
CKT60-25-40	\$1,129	Brushed Nickel	CLEAR	
NEW CKT60-33-40	\$1,194	Matte Black	CLEAR	
3/8	8" (10 mm)	tempered glass		
CLT60-11-40	\$1,467	Chrome	CLEAR	
CLT60-25-40	\$1,520	Brushed Nickel	CLEAR	
NEW CLT60-33-40	\$1,597	Matte Black	CLEAR	





CORDOBA PLUS Semi-frameless sliding tub doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system and bracket Superior bottom guiding system Easy to install 3/8" (10mm) or 1/4" (6mm) clear tempered glass Tub door height: 60" Chrome, Brushed Nickel & Matte Black finishes

US 2022

BYPASS TUB ENCLOSURE









CORDOBA TUB ENCLOSURE

Semi-frameless sliding tub doors without FleurcoSEKUR+ Safety Protection (S.R.T.)

1/4" (6 mm) Tempered clear glass • 56" or 57 ³/₄" Height

CORDOBA

BYPASS TUB ENCLOSURE 56 52" to 56" W x 56" H · Approx. entry: 22" to 26"

MODEL	PRICE	FINISH	GLASS
CT856-11-40	\$1,047	Chrome	CLEAR
CT856-25-40	\$1,058	Brushed Nickel	CLEAR

BYPASS TUB ENCLOSURE 60

56" to 60" W x 57 ³/₄" H · Approx. entry: 24" to 28"

MODEL	PRICE	FINISH	GLASS
CT860-11-40	\$1,124	Chrome	CLEAR
CT860-25-40	\$1,131	Brushed Nickel	CLEAR





CORDOBA BYPASS TUB ENCLOSURE Semi-frameless sliding tub doors

2 sliding door panels for right or left hand entry Header features built in anti-jump system Deluxe quality roller system bracket Superior bottom guiding system Easy to install 1/4" (6mm) clear tempered glass Tub door heights: 56" & 57 ³/₄" Chrome & Brushed Nickel finishes

US 2022









Microtek® Glass Protector





YOUR GLASS PROTECTED WITH MICROTEK[®]

- Resists staining from hard water deposits
 Is easier to clean
- Does not support the growth of bacteria
- Eliminates the need for harsh and abrasive cleaning products
- Saves time and effort · Stays cleaner longer
- Creates a more hygienic environment

MAINTENANCE

A soft cloth is all you need to clean your protected glass. For best results, squeegee dry after each use. The only solution Fleurco recommends using is 1 part vinegar and 4 parts water.

: Micro	tek® Mi	ICROTEK	GLASS CI	EANING				
Type of Cleaning	Step 1	Step 2	Step 3	Step 4	Step 5	Recommended Frequency		
After Use	Spray down glass with hot water.	Dry with squeegee.	N/A	N/A	N/A	Immediately after showering.		
Regular Maintenance	Water down the panels then clean with mild, non-abrasive soap on a soft sponge.	Rinse off with clean water.	Spray with a solution of 1 part vinegar + 4 parts water.	Rinse off with clean water.	Dry with squeegee.	Weekly.		

MICROTEK IS EXPECTED TO PERFORM FOR UP TO 10 YEARS

PRECAUTIONS

- Avoid using abrasive cleaners.
- Hydrofluoric and phosphoric acid can damage glass surface and should not be used.
- Do not use abrasive scouring powders or pads, highly acidic/alkaline cleaners, brushers,
- razor blades or other sharp objects which may scratch or harm the glass surface.

WARRANTY

Provided the glass is maintained according to published after-care instructions and without the use of abrasive cleaning methods or highly alkaline products, FLEURCO warrants that Microtek will work for up to ten (10) years from the date of application.

WHAT IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) is a transparent film bonded directly onto the glass panel by means of an adhesive to improve safety by retaining the pieces together in the event of glass breakage.

WHAT ARE THE BENEFITS OF FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film provides an added layer of security for you and your family. In the event of an accident, FLEURCOSEKUR⁺ SAFETY PROTECTION (S.R.T.) prevents the tempered glass door from shattering into thousands of pieces which could cause damage.

HOW IS FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.) APPLIED?

Application is performed by a specialized machine.

The film is always installed on the exterior side of the panels as to not affect the Microtek[®] coating on the interior.

HOW DURABLE IS FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.)?

FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) is very durable. It has been tested for long-term usage against chemicals and abrasives and meets the required standards.

HOW DO I CLEAN GLASS TREATED WITH FLEURCOSEKUR' SAFETY PROTECTION (S.R.T.)?

There is no special requirement for cleaning a FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) treated shower door. Cleaning with a damp cloth using a mixture of vinegar/mild soap with water is recommended.



FLEURCO[®]SEKUR⁺

SAFETY PROTECTION (S.R.T.)

Shattered glass maintains structure with FLEURCOSEKUR* SAFETY PROTECTION (S.R.T.) film

NOTES